

BORA



BORA®

Our Story

BORA was founded in 2006, spurred on by the idea of creating a clamping straight edge that would allow effortless straight cuts on sheet goods. Our goal was simple — make a tool that made the job easier and faster without compromising the results. And so, we did. The Clamp Edge was made and BORA was born. Over the years as our product lines have grown, our mantra has remained the same: create innovative tools that simplify tasks and deliver professional results. And by doing so, enable our users to increase productivity and expand not only their capabilities, but their workspaces as well. Because at BORA, we know that unless our tools are helping people complete projects faster

and safer with better end results, we're not doing our job.

From our Work Stands, Sawhorses, and Mobile Bases that offer the very best option for workspace mobility and flexibility, to our Saw Guides and Shop efficiency

and functionality for a wide variety of projects, BORA's tools have been designed to endure the long days on the jobsite, at the workshop, or in your garage.

So, whether you're a professional, DIY enthusiast, craftsman, or hobbyist we tools you need to get the job

users to increase productivity

Accessories that provide have the done.

BORA CONTENTS

SPEEDHORSES	273
WORKHORSES	276
CENTIPEDES & ACCESSORIES	279
CLAMPS	284
NGX CLAMP EDGE SYSTEM	286
PANEL CARRIERS	289
MITERIX	291

Speedhorses



SPEEDHORSE™

The ultimate upgrade for your job site, workspace, or workshop. Save precious time on setup and tear down so you can get to work and complete job faster and more efficiently. The Speedhorse™ deploys 30x faster than conventional sawhorses; just pull the release button in the middle of the frame.

2x4 slots
with holes to secure
your material.

Best-in-class
weight capacity

Effortlessly fold up legs
in a non-sequential
manner

Easy to grip open handles
even with gloves

680kg / 1499lbs
max capacity



Speedhorse™ instant
deploy technology.

Product Code	Description	Order Qty	Box Qty
PM-4500	BORA SPEEDHORSE™	1	2



ADJUSTABLE SPEEDHORSE XT™

All the benefits and features of our signature PM-4500 Speedhorse™ with the added ability to extend the legs to increase the height. Adjust from 760mm / 30" to 36" in 25mm / 1" increments.



Speedhorse™ instant deploy technology.

Product Code	Description	Order Qty	Box Qty
PM-4550	BORA ADJUSTABLE SPEEDHORSE XT	1	2



Workhorses



WORKHORSE™

544kg / 1200lb weight capacity per sawhorse. 1088kg / 2400lbs per pair. Easy fold legs Durable steel construction and leg latch Compact and portable design Pre-drilled top allows 2x material to be attached as a sacrificial top



Product Code	Description	Order Qty	Box Qty
PM-3330	BORA WORKHORSE	1	2

WORKHORSE™


612kg / 1350lbs weight capacity per sawhorse. 1225kg / 2700lbs per pair. Easy fold legs Durable steel construction and leg latch Compact and portable design Pre-drilled top allows 2x material to be screwed in as sacrificial top Pre-drilled end brackets – attach 2x4s to set up a sturdy workstation



Product Code	Description	Order Qty	Box Qty
PM-3350	BORA WORKHORSE	1	2

WORKHORSE XT™

Is your horse built to work? The all-new BORA Workhorse XT is built to undertake any task on the job site and take your work to the next level. Its heavy-duty weight capacity of 1225kg / 2700 lbs. per pair; and intuitive slide and lock technology, adjusting the Workhorse working height from 76-86cm / 30" - 34", make this sawhorse reliable for every worksite.



Product Code	Description	Order Qty	Box Qty
PM-3360	BORA WORKHORSE XT	1	2



CENTIPEDES & ACCESSORIES




IT'S TIME TO ELEVATE YOUR WORK. CENTIPEDE WORKSTAND

It's time to elevate your work! The Centipede provides a flexible workbench anywhere you need. Whether you are on the job or in the workshop, you will have the support needed to get the job done while doing your best work.

Creates a work station with a standard 760mm / 30" working height or a tall

Durable patented Polymer P-Tops won't mark the surface of your project or let saw blades cause potential damage to struts.



Heavy-Duty Steel Construction: Struts are flexible to absorb the impact from heavy objects and machinery, and durable enough to ensure long-lasting, smooth operation.


Available in multiple sizes to fit your needs.

Compact fold up design for easy transport.

Instant set up and tear down.



Ready to use right out of the box.



CK STANDARD
760mm / 30"

CT TALL
915mm / 36.6"

CENTIPEDE 600MM X 1200MM (2' X 4')

WORKSTAND

Creates a 600mm x 1200mm / 2'x4' workstation with a 760mm / 30" working height. Supports: 1134kg / 2500lbs
 Folded Dimensions: 150 x 230 x 960mm / 6" x 9" x 38" Set includes Centipede Workbench, 2x BR-CA0202 X-Cups Set, 1x BR-CA0302 Quick Clamp Set & Carry Bag

Product Code	Description	Order Qty	Box Qty
CK6S	600 X 1200MM (2' X 4')	1	1



CENTIPEDE 1200MM X 1200MM (4' X 4')

WORKSTAND

Creates a 1200 x 1200mm / 4'x4' workstation with a 760mm / 30" working height. Supports: 1588kg / 3501
 Folded Dimensions: 230 x 230 x 960mm / 9" x 9" x 38" Set includes Centipede Workbench, 2x BR-CA0202 X-Cups Set, 2x BR-CA0302 Quick Clamp Set & Carry Bag.

Product Code	Description	Order Qty	Box Qty
CK9S	1200 X 1200MM (4' X 4')	1	1




CENTIPEDE 1200MM X 1800MM (4' X 6')

WORKSTAND

Creates a 1200mm x 1800mm / 4'x6' workstation with a 760mm / 30" working height. Supports: 2401kg / 5293lbs
 Folded Dimensions: 230 x 300 x 960mm / 9" x 12" x 38" Set includes Centipede Workbench, 2x BR-CA0202 X-Cups Set, 2x BR-CA0302 Quick Clamp Set & Carry Bag.

Product Code	Description	Order Qty	Box Qty
CK12S	1200 X 1800MM (4' X 6')	1	1



CENTIPEDE 1200MM X 2400MM (4' X 8')

WORKSTAND

Creates a 1200mm x 2400mm / 4'x8' workstation with a 760mm / 30" working height. Supports: 2722kg / 6001lbs
 Folded Dimensions: 230 x 380 x 960mm / 9" x 15" x 38" Set includes Centipede Workbench, 2x BR-CA0202 X-Cups Set, 2x BR-CA0302 Quick Clamp Set & Carry Bag.

Product Code	Description	Order Qty	Box Qty
CK15S	1200 X 2400MM (4' X 8')	1	1





TALL CENTIPEDE 600MM X 1200MM (2' X 4') WORKSTAND

Creates a 600mmx1200mm / 2'x4' workstation with a 915mm / 36" working height. Supports: 1134kg. Folded Dimensions: 150 x 230 x 1115mm. Set includes Centipede Workbench, 2x BR-CA0202 X-Cups Set, 1x BR-CA0302 Quick Clamp Set & Carry Bag.

Product Code	Description	Order Qty	Box Qty
CT6	600 X 1200MM – 915MM HIGH (2' X 4' - 36" HIGH)	1	1

CENTIPEDE TABLE TOP



CENTIPEDE TABLE TOP

Full dimensions 610 x 1200mm / 24' x 48' 20 mm dog holes at 96mm centres. Depending on the size of your Centipede work stand, you may need more than one Tabletop for full coverage. BR-CK6 and BR-CT6 need 1, BR-CK9S needs 2, BR-CK12S needs 3, BR- CK15S needs 4. Set includes: 1x Tabletop and 6x Quick-twist lock handles. Works with Centipede X-Cup Bracket, Quick Clamp, and Non-Slip accessories.

Product Code	Description	Order Qty	Box Qty
CK22TM	610 X 1200MM (24' X 48')	1	1



X-CUPS - 2 PACKS

Holds standard 50mm x 100mm / 2" x 4" timber on the edge or face.
Easy drop-in support for traditional Speedhorse applications.
Compatible with P-Tops.

Product Code	Size	Order Qty	Box Qty
CA0202	-	1	1

**NON-SLIPS SET - 6 PACK**

Low profile solution for holding materials in place.
Compatible with patented P-Tops, standard 20mm Dog Holes
and BORA Centipede work stands.

Product Code	Size	Order Qty	Box Qty
CA0606	-	1	6

**HOOKS SET - 2 PACK**

Easy installation – slide through P-Top, rotate and drop in.
Compatible with P-Tops.

Product Code	Size	Order Qty	Box Qty
CA0402	-	1	6

**QUICK CLAMPS SET - 2 PACK**

Secure Table Tops/bench tops quickly, without tools.
Hold boards in place during cuts. Soft over mold stem
provides maximum wedge tension to securely hold boards in
place while you are cutting. Compatible with

Product Code	Size	Order Qty	Box Qty
CA0302	-	1	6

**150MM (6") RISERS SET - 6 PACK**

Adds 150mm / 6" to working height.
Easy to install.
Ideal to raise workbench to comfortably read plans or a standing desk.
Increased height does not decrease load capacity.
Compatible with P-Tops.

Product Code	Size	Order Qty	Box Qty
CA0506	-	1	6

**REPLACEMENT P-TOPS - 3 PACK**

Protects load, cutting blade and struts from damage.
Spins 360° for convenient positioning of other Bora Centipede
accessories. Standard 19mm / 0.75" nut (Included) for easy
replacement. Works on all BORA Centipede work stands. Set
includes 3 pieces.

Product Code	Size	Order Qty	Box Qty
CA0103	-	1	6



Clamps



PARALLEL CLAMPS – 2 PACK

500kg / 1102lbs of clamping pressure force.
90mm / 3.5" wide padded jaw provides constant, even pressure without damaging material.
Passive lock jaw stays in place while winding clamp.
Large, easy-grip handle makes it easy to lift and slide jaw up and down.


Product Code	Description	Order Qty	Box Qty
571124T	600MM (24")	1	1
571131T	780MM (31")	1	1
571140T	1000MM (40")	1	1
571150T	1250MM (50")	1	1




MINI SPRING CLAMPS – 20 PACK

Tough polymer construction will last for years.
25mm / 1" capacity for opening.
Tough pivoting clamp pads ensure a rock-solid grip.
Perfect for smaller spaces.
Includes 20 mini clamps.

Product Code	Size	Order Qty	Box Qty
540520	600 X 1200MM (2' X 4')	1	20




NGX CLAMP EDGE SYSTEM



SET IT. CLAMP IT. CUT IT. NGX CLAMP EDGE SAW GUIDE

Rip down boards and sheet material with professional-level accuracy and speed.



Winner of the 2019 Pro Tool Innovation Award in the Track Rail category



SET OF NGX CONNECTORS

Set Includes Centipede Workbench, 2x BR-CA0202 X-Cups Set, 1x BR-CA0302 Quick Clamp Set & Carry Bag.

Product Code	Description	Order Qty	Box
544050	1270MM (50")	1	Qty 2 2
544100	2540MM (1270 + 1270MM) / 100" (50 + 50")	1	

Product Code	Description	Order Qty	Box Qty
PM-4550	600 X 1200MM (2' X 4')	1	1





NGX TWIN RAIL RIP GUIDE

Makes cuts up to 61cm / 24" or half a sheet of plywood.
Tool free saw mounting.
Adjustable to fit most circular saws.
The lightweight and durable aluminum twin rail frame design.
Built in micro adjust knob for precise, repeatable cuts.

Product Code	Size	Order Qty	Box Qty
546250	-	1	2



NGX SAW PLATE RT

Tool Free Saw Mounting.
Adjustable to fit most Circular Saws.
Makes every cut smooth and clean.
Get track saw like accuracy with your circular saw.
Also compatible with WTX Clamp Edge System.

Product Code	Size	Order Qty	Box Qty
546001	-	1	2



NGX ROUTER GUIDE

Router guide fits into Clamp Edge saw guide to guarantee straight dados and other router cuts.
Works with almost any make/model router.
Easy to adjust for bit and board size.
Also compatible with WTX Clamp Edge System.

Product Code	Size	Order Qty	Box Qty
542005	-	1	6



NGX JIG SAW GUIDE

Jigsaw guide fits into Clamp Edge saw guide to ensure precise, straight cuts.
Adjustable to fit most jig saws.
Adjustable pointer guide keeps your cuts true.
Easy to change from cutting with the Clamp Edge guide to cutting freehand.
Also compatible with WTX Clamp Edge System.

Product Code	Size	Order Qty	Box Qty
542009	-	1	6



NGX TRACK CLAMP PAIR

Helps quickly process panel material.
Easy to adjust and use with fast-acting lock nut.
Slides into both top and bottom of track for multipurpose functionality.
Holds tight with non-marring rubber grips.
Also compatible with WTX Clamp Edge System.

Product Code	Size	Order Qty	Box Qty
542011	-	1	12

PANEL CARRIERS



CARRY IT. NEXT-GEN PANEL CARRIER

Large sheets and panels of wood are hard to grab and even harder to move across your workshop. Save time and effort (and your arms and back) with the BR-PM-1850 Panel Carrier, perfectly designed to do the heavy lifting for you.



Winner of the 2016 Pro Tool Innovation Award in the Miscellaneous Hand Tools category

Product Code	Size	Order Qty	Box Qty
PM-1850	NEXT GEN PANEL CARRIER	1	1



MITERIX



MITERIX ANGLE DUPLICATOR. PERFECT MITRES EVERY TIME.

Perfect miters every time. Match any inside or outside angle in three simple steps.

Match any angle –
internal or external
from 0-180 degrees.

Makes it easy to
transfer angles
straight to your
mitre saw



OUTSIDE ANGLE



INSIDE ANGLE



Foldable for easy
storage in your
toolbox.

Product Code	Size	Order Qty	Box Qty
530401	-	1	6





[OXTOOLS.COM](https://oxtools.com) | [TRACER-TOOLS.COM](https://tracer-tools.com) | [SMART-TOOLGROUP.COM](https://smart-toolgroup.com) | [BORATOOL.COM](https://boratool.com)

OX TOOLS UK, 102-108 Clifton Street, Shoreditch, London, EC2A 4HW, UK
T: +44 20 8676 9990 | E: sales.uk@oxtools.com